

WELLS PERMITTED
Utah Division of Oil, Gas and Mining
APPLICATIONS FOR PERMIT TO DRILL APPROVED
DURING OCTOBER 1999

COUNTY: CARBON

ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 3600	HELPER STATE E-3 ELEVATION: 6399 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730592 NENE 36 13.0S 10.0E SURFACE: 0494 FNL 1005 FEL FIELD: HELPER
ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 3400	HELPER STATE E-4 ELEVATION: 6089 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730598 SWSE 36 13.0S 10.0E SURFACE: 0660 FSL 1980 FEL FIELD: HELPER
ANADARKO PETROLEUM CORP WORK TYPE: DRILL PROPOSED DEPTH: 2300	HELPER STATE A-16 ELEVATION: 6735 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730603 SWSE 11 14.0S 10.0E SURFACE: 1232 FSL 1598 FEL FIELD: HELPER
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2850	UTAH 02-406 ELEVATION: 5756 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730606 SESE 02 14.0S 09.0E SURFACE: 0768 FSL 0791 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2860	UTAH 02-405 ELEVATION: 5741 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730607 NESW 02 14.0S 09.0E SURFACE: 1462 FSL 1489 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2760	UTAH 02-404 ELEVATION: 5601 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730608 NENW 02 14.0S 09.0E SURFACE: 1077 FNL 1644 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2800	UTAH 02-403 ELEVATION: 5617 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730609 SWNE 02 14.0S 09.0E SURFACE: 1478 FNL 1727 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3350	USA 04-409 ELEVATION: 6158 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730617 SENW 04 14.0S 09.0E SURFACE: 1345 FNL 1636 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3250	USA 18-181 ELEVATION: 6335 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730618 SWNE 18 14.0S 09.0E SURFACE: 2438 FNL 1622 FEL FIELD: UNDESIGNATED

RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3350	USA 18-435 ELEVATION: 6391 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730619 SWNW 18 14.0S 09.0E SURFACE: 1868 FNL 0792 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3900	USA 26-424 ELEVATION: 7004 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730620 SWNW 26 14.0S 08.0E SURFACE: 1757 FNL 0680 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3900	USA 34-434 ELEVATION: 7021 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730621 NESE 34 14.0S 08.0E SURFACE: 1342 FSL 0922 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3650	USA 17-180A ELEVATION: 6332 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730622 SENW 17 14.0S 09.0E SURFACE: 2563 FNL 1383 FWL FIELD: DRUNKARDS WASH
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3100	USA 03-407 ELEVATION: 5887 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730627 SENE 03 14.0S 09.0E SURFACE: 1611 FNL 1287 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3100	USA 03-414 ELEVATION: 5980 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4300730628 NESE 03 14.0S 09.0E SURFACE: 2181 FSL 1105 FEL FIELD: UNDESIGNATED

COUNTY: EMERY

CHANDLER & ASSOCIATES INC WORK TYPE: DRILL PROPOSED DEPTH: 2950	FERRON FED 16-9-19-7 ELEVATION: 6217 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530256 SESE 09 19.0S 07.0E SURFACE: 0511-FSL-0899-FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 4800	UTAH 10-415 ELEVATION: 7180 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530391 NENE 10 16.0S 08.0E SURFACE: 1090 FNL 0557 FEL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2850	USA 10-363 ELEVATION: 6316 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530419 NWSW 10 16.0S 09.0E SURFACE: 1478 FSL 0851 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 3000	USA 10-362 ELEVATION: 6345 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530424 SWNW 10 16.0S 09.0E SURFACE: 2225 FNL 0494 FWL FIELD: UNDESIGNATED
RIVER GAS CORPORATION WORK TYPE: DRILL PROPOSED DEPTH: 2800	USA 10-364 ELEVATION: 6289 GR PROPOSED ZONE: FERRON SANDSTONE	API: 4301530425 SWSE 10 16.0S 09.0E SURFACE: 1069 FSL 2450 FEL FIELD: UNDESIGNATED

COUNTY: GRAND

FALCON ENERGY LLC	POWELSON 1	API: 4301931374	SESE 24 20.0S 23.0E
WORK TYPE: DRILL	ELEVATION: 4593 GR		SURFACE: 0501 FSL 0501 FEL
PROPOSED DEPTH: 1270	PROPOSED ZONE: SALT WASH		FIELD: GREATER CISCO
FALCON ENERGY LLC	ROBERTS 1	API: 4301931376	SESE 24 20.0S 23.0E
WORK TYPE: DRILL	ELEVATION: 4593 GR		SURFACE: 1163 FSL 0598 FEL
PROPOSED DEPTH: 1320	PROPOSED ZONE: SALT WASH		FIELD: GREATER CISCO

COUNTY: UINTAH

COASTAL OIL & GAS CORP	ARCHEE 1-117	API: 4304733388	NWNE 01 09.0S 20.0E
WORK TYPE: DRILL	ELEVATION: 4662 GR		SURFACE: 0809 FNL 2135 FEL
PROPOSED DEPTH: 9600	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	TRIBAL 2-119	API: 4304733389	NENE 02 09.0S 20.0E
WORK TYPE: DRILL	ELEVATION: 4657 GR		SURFACE: 0666 FNL 0663 FEL
PROPOSED DEPTH: 9650	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	HALL 31-99	API: 4304733390	NENW 31 08.0S 22.0E
WORK TYPE: DRILL	ELEVATION: 4726 GR		SURFACE: 0513 FNL 1822 FWL
PROPOSED DEPTH: 9230	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	OURAY 32-88	API: 4304733391	NESW 32 08.0S 21.0E
WORK TYPE: DRILL	ELEVATION: 4666 GR		SURFACE: 2138 FSL 2039 FWL
PROPOSED DEPTH: 9500	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	OURAY 32-89	API: 4304733392	NWSW 32 08.0S 21.0E
WORK TYPE: DRILL	ELEVATION: 4663 GR		SURFACE: 2152 FSL 0741 FWL
PROPOSED DEPTH: 9500	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	UTE TRIBAL 35-111	API: 4304733394	SESE 35 08.0S 20.0E
WORK TYPE: DRILL	ELEVATION: 4657 GR		SURFACE: 0546 FSL 0501 FEL
PROPOSED DEPTH: 9650	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	UTE TRIBAL 35-112	API: 4304733395	NWSW 35 08.0S 20.0E
WORK TYPE: DRILL	ELEVATION: 4654 GR		SURFACE: 1821 FSL 0920 FWL
PROPOSED DEPTH: 9700	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP	UTE TRIBAL 35-113	API: 4304733396	SESW 35 08.0S 20.0E
WORK TYPE: DRILL	ELEVATION: 4654 GR		SURFACE: 0660 FSL 1979 FWL
PROPOSED DEPTH: 9700	PROPOSED ZONE: MESAVERDE		FIELD: NATURAL BUTTES

COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9550	ARCHEE 1-118 ELEVATION: 4664 GR PROPOSED ZONE: MESAVERDE	API: 4304733400	NWSE 01 09.0S 20.0E SURFACE: 2013 FSL 1956 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 8800	FEDERAL 6-100 ELEVATION: 4703 GR PROPOSED ZONE: MESAVERDE	API: 4304733401	SENE 06 09.0S 22.0E SURFACE: 2081 FNL 0660 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9900	WYASKET 33-105 ELEVATION: 4649 GR PROPOSED ZONE: MESAVERDE	API: 4304733408	SENE 33 08.0S 20.0E SURFACE: 3194 FSL 0660 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9800	TABBEE 34-108 ELEVATION: 4665 GR PROPOSED ZONE: MESAVERDE	API: 4304733410	SWNE 34 08.0S 20.0E SURFACE: 1707 FNL 2047 FEL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9800	TABBEE 34-109 ELEVATION: 4649 GR PROPOSED ZONE: MESAVERDE	API: 4304733411	NESW 34 08.0S 20.0E SURFACE: 1822 FSL 1995 FWL FIELD: NATURAL BUTTES
COASTAL OIL & GAS CORP WORK TYPE: DRILL PROPOSED DEPTH: 9750	TABBEE 34-110 ELEVATION: 4650 GR PROPOSED ZONE: MESAVERDE	API: 4304733412	SWSE 34 08.0S 20.0E SURFACE: 0660 FSL 1990 FEL FIELD: NATURAL BUTTES
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6250	SCU 54-17F ELEVATION: 4849 GR PROPOSED ZONE: WASATCH	API: 4304733398	SESE 17 09.0S 22.0E SURFACE: 1316 FSL 0671 FEL FIELD: NATURAL BUTTES
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6250	SCU 58-17N ELEVATION: 4711 GR PROPOSED ZONE: WASATCH	API: 4304733399	NENW 17 09.0S 22.0E SURFACE: 0627 FNL 1870 FWL FIELD: NATURAL BUTTES
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 7400	N DUCK CREEK 100-22 ELEVATION: 4801 PROPOSED ZONE: WASATCH	API: 4304733402	SESE 22 08.0S 21.0E SURFACE: 0660 FSL 0720 FEL FIELD: WONSITS VALLEY
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6250	OSC 107-27 ELEVATION: 5263 GR PROPOSED ZONE: WASATCH	API: 4304733403	SESW 27 10.0S 19.0E SURFACE: 0681 FSL 1862 FWL FIELD: NATURAL BUTTES
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 6600	N CHAPITA 16-34-8-22 ELEVATION: 4849 GR PROPOSED ZONE: WASATCH	API: 4304733404	SESE 34 08.0S 22.0E SURFACE: 0781 FSL 0500 FEL FIELD: NATURAL BUTTES
EOG RESOURCES INC WORK TYPE: DRILL PROPOSED DEPTH: 7030	DUCK CREEK 70-9 ELEVATION: 4716 GR PROPOSED ZONE: WASATCH	API: 4304733405	NENE 09 09.0S 20.0E SURFACE: 1037 FNL 0896 FEL FIELD: NATURAL BUTTES

EOG RESOURCES INC
WORK TYPE: DRILL
PROPOSED DEPTH: 6700

N CHAPITA 106-32
ELEVATION: 4722 GR
PROPOSED ZONE: WASATCH

API: 4304733406

SENV 32 08.0S 22.0E
SURFACE: 1881 FNL 1950 FWL
FIELD: NATURAL BUTTES

RETAMCO OPERATING INC
WORK TYPE: DRILL
PROPOSED DEPTH: 11500

RIVER BEND 6-9H
ELEVATION: 4946 GR
PROPOSED ZONE: CASTLEGATE

API: 4304733313

SENE 09 10.0S 19.0E
SURFACE: 0825-FNL 0811-FEL
FIELD: NATURAL BUTTES